





ORIENTAL COMMERCE VINA CO.,LTD



ORIENTAL COMMERCE CO., LTD (REP KOREA)

KOREA HEAD OFFICE & FACTORY



207, Dasan-Ro, Saha-Gu, Busan, Korea



Office & Factory

We, ORIENTAL COMMERCE CO., LTD., are one of the most professional manufacturer for Disposable Paint Related Accessories in the world. Our Factories are located in Busan Korea, Qingdao China and Quang nam Vietnam. We have over 500 employees. Our company aims at customer's satisfaction by research development, manufacturing at marketing of indoor, outdoor painting industries as well as automotive painting industries to provide various customers with all solutions for painting.

QINGDAO NEW ORIENTAL CAR ACCESSORIES CO.,LTD CHINA (THE 1st FACTORY)



CHINA OFFICE & FACTORY

Qianjiashan Road,778#,HuangDao,
Qingdao City, Shandong Province China



ORIENTAL COMMERCE VINA LTD (OCC VINA / VIETNAM) (THE 2nd FACTORY)



OFFICE & FACTORY VIETNAM


Lo C2, KCN Tam Thang, Xa Tam Thang,
Thanh Pho Tam Ky, Tinh.Quang Nam, VietNam

INDEX

Overspray Masking Film	3
Overspray Plastic Sheeting	3
Heavy Duty	4
Masking Film Dispenser/Cutter	4
Hand Masker	5
Painter's Plastic	6
Breathable Masking Film	6
Plastic Car Seat Cover	9
Floor Mat for Autobody	10
Plastic Steering Wheel Cover	11
Plastic Gear Knob Cover	11
Plastic Hand Brake Cover	12
Plastic Wheel Cover for Masking	12
Stretch Film	13
Plastic Tire Bag for Storage	13
Plastic Car Cover	13
Clean Set	14



Indoor Use Pretaped Masking Film	17
Outdoor Use Blue Paper Masking Film	17
Outdoor Cloth Tape Masking Film	18
Heavy Duty Cloth Taped Masking Film	19
Automotive Pretaped Masking Film	19
Pretaped Masking Paper	20
Washi Taped Masking Film	20
Pretaped Masking Film Dispenser	21
Prefolded Masking Film/Hand Masker	22
Paint Masking Set	23
Washi Tape	23
Drop Sheet	24




Construction Film	27
Zipper Door	29
Stretch Film	31
Plastic Cover	32
Cloth Tape	35
	38

Make your work easy & clean!



- Overspray Masking Film
- Overspray Plastic Sheeting
- Heavy Duty
- Handy Masker
- Painter's Plastic
- Breathable Masking Film
- Masking Film Dispenser / Cutter



MASKING FILM

AUTOMOTIVE REFINISHING DIVISION





- Overspray cling to surface.
- Resists most solvents.
- Indicated the paint absorbent surface.
- Fully electrostatic and corona treatment enables a strong paint adhesion.
- Multi-folded in a way
- Logo printable.

Overspray Masking Film

European Size

Product Code	Material	Thickness	W.(m)	L.(m)	Color	Package
PS38200	HDPE	8,9,10mic	3.8	200		1Roll/Dispenser Box
PS40150	HDPE	8,9,10mic	4	150		1Roll/Dispenser Box
PS48120	HDPE	8,9,10mic	4.8	120	☐■●	1Roll/Dispenser Box
PS50120	HDPE	8,9,10mic	5	120		1Roll/Dispenser Box
PS60100	HDPE	9,10mic	6	100		1Roll/Dispenser Box




- Overspray cling to surface.
- Resists most solvents.
- Indicated the paint absorbent surface.
- Fully electrostatic and corona treatment enables a strong paint adhesion.
- Multi-folded in a way
- Logo printable.

Overspray Plastic Sheeting

American Size

Product Code	Material	Thickness	W.(ft)	L.(ft)	Color	Package
PS12-400	HDPE	8,9,10mic	12	400		1Roll/Dispenser Box
PS14-350	HDPE	8,9,10mic	14	350		1Roll/Dispenser Box
PS16-350	HDPE	8,9,10mic	16	350	☐■●	1Roll/Dispenser Box
PS20-250	HDPE	9,10mic	20	250		1Roll/Dispenser Box



- Used for automotive and construction industries, Marine.
- Paint adhesive.
- Resist Water & Solvent.
- Easy application.
- Double-Folded in a roll.
- Logo printable.

Heavy Duty

For AutoBody or Marine , Airplan


Product Code	Material	Thickness	W.(m)	L.(m)	Color	Package
PS38200H	LDPE	17,20mic	3.8	200	☐■●	1Roll/PE Bag
PS40200H	LDPE	17,20mic	4	200	☐■●	1Roll/PE Bag



- Light weight dispenser.
- Easy and convenient to install when do painting work.
- To avoid film blockage.
- Movable frame.

Masking Film Dispenser / Cutter

Product Code	Material	Color	Package
MFD-01	Metal	Red	1Pcs/Case



- Easy cutting to against serrated blade.
- Corona treated to one side to achieve maximum paint adhesion.
- Initial hold power built-in for easier application.
- No penetration saves labor time & money.
- No fiber contamination from torn or cut paper edges.
- No need for double masking, very convenient.
- No need more masking paper.

Handy Masker

Product Code	Material	Thickness	W.(mm)	L.(m)	Color	Package
HM450	HDPE	45mic	450	269	White	2Rolls/Box
HM900	HDPE	20mic	900	180	White	2Rolls/Box



- Easy application, static cling film and easy handling.
- Light weight.
- Super taped adhesion.
- Use as an overspray shield, paint drape, or multi-purpose cover

Painter ' s Plastic Coreless Masking Film

Product Code	Material	Thickness	W.(m)	L.(m)	Color	Package
CMF272121	HDPE	8,9mic	2.72	121	Transparent/White	1Roll/Box
CMF366121	HDPE	8,9mic	3.66	121	Transparent/White	1Roll/Box



- Easy to cut
- No penetration of paint and water
- Strong static
- Heat resistant

Breathable Masking Film

Product Code	Material	Thickness	W.(m)	L.(m)	Color	Package
PS40200B	HDPE	17,20mic	4	200	Green	1Roll/Dispenser Box
PS40150B	HDPE	17,20mic	4	150	Green	1Roll/Dispenser Box
PS50120B	HDPE	17,20mic	5	120	Green	1Roll/Dispenser Box
PS60100B	HDPE	17,20mic	6	100	Green	1Roll/Dispenser Box

- Plastic Car Seat Cover
- Floor Mat
- Plastic Steering Wheel Cover
- Plastic Gear Knob Cover
- Plastic Brake Cover
- Plastic Tire Bag
- Plastic Car Cover
- Clean Set



PLASTIC COVER CAR PROTECTION COVER





- To protect car seat against pollution during repair.
- Can be fixed perfectly on car seat.
- For used car market during exhibition being clean
- With one pocket
- With two pockets
- Logo: printable

Plastic Car Seat Cover



Standard Style

Head Flap Only: One Pocket

Product Code	Material	W.(mm)	L.(mm)	Color	Package
PCSC-1	PE	800	1480	Clear/White	200PCS/Case,250PCS/Case

Head/ Bottom Flap: Two Pockets

Product Code	Material	W.(mm)	L.(mm)	Color	Package
PCSC-2	PE	800	1300	Clear/White	250PCS/Roll/Dispenser box



Plastic Seat Cover

Compact S tyle



- To protect car seat against pollution during repair.
- Can be fixed perfectly on car seat.
- For used car market during exhibition being clean.
- Coreless save space.
- Logo: printable

Product Code	Material	W.(mm)	L.(mm)	Color	Package
PCSC-3	PE	800	1300	White	250PCS/Dispenser Box



- Heavy plastic/paper foot mat with anti-slip backing.
- Protect newly installed or cleaned carpet.
- Prevent costly cleaning from accidental staining.
- High perforated on the roll.
- Logo: printable.




Floor Mat for Autobody

Product Code	Material	Thickness	W.(mm)	L.(mm)	Color	Package
FTM01	PE Coated Paper	70g/m ²	380	500	White	500PCS/box
FTM02	Two Layer Plastic	50MIC	420	530	White	500PCS/Roll/Dispenser box



- Keep steering wheel clean from grease and oil during repair.
- Durable elastic-band for fitting.
- Steering wheel for complete protection.



Plastic Steering Wheel Cover

Product Code	Material	Thickness	W.(mm)	L.(mm)	Color	Package
PSWC01	PE	18MIC	100	600	Clear/White	250PCS/Box



- Keep gear clean from grease and oil during repair.
- Durable elastic-band for fitting.
- Gear for complete protection.

Plastic Gear Knob Cover


Product Code	Material	Thickness	W.(mm)	L.(mm)	Color	Package
PGKC01	PE	18MIC	130	170	Clear/White	500PCS/Box



- Keep brake clean from grease and oil during repair.
- Durable elastic-band for fitting.
- Brake for complete protection.

Plastic Brake Cover

Product Code	Material	Thickness	W.(mm)	L.(mm)	Color	Package
PHBC01	PE	18MIC	160	70	Clear/White	500PCS/Box



- Easily remove center for painting of hubs and rims on tracks, trailers
- Protect tires and rims from paint overspray.
- Strong durable.
- Logo:printable.



Plastic Wheel Cover for Masking

Product Code	Material	Thickness	W.(mm)	L.(mm)	Color	Package
PWC01	LDPE	18MIC	900	1020	White	250PCS/Roll/ Box



Stretch Film

For Steering Wheel Cover

Product Code	Material	Thickness	W.(mm)	L.(m)	Color	Package
SWC02	PE	15MIC	100	150	Clear/Black	12Rolls/Box 1PC Handle Free



-Used for keeping new tire when do sales work.
-Used for car re finishing factory protect the tire.
-Logo :printable.

Plastic Tire Bag for Storage

Product Code	Material	Thickness	W.(mm)	L.(mm)	Color	Package
PTB01	HDPE	20MIC	1100	1100	Clear	500PCS/box
PTB02	LDPE	30MIC	1100	1100	White	250PCS/box



-Protect freshly painted and detailed vehicles quickly and economically.
-Double sided elastic banding finish.
-For indoor or outdoor use.
-Reusable.

Plastic Car cover


Product Code	Material	Thickness	Size	Color	Package
PCC01	PE	30MIC	S/M/L	Clear	20PCS/box



-Save labor time.
-More convenient kit package.
-It consists of five in one kit.
-An economical price.
-OEM
-Logo:printable.

Clean Set

Product Code	Material	Color	Package
CK31/CK51	PE/Paper	Clear/White	100Kits/box



Plastic Gear Knob cover

Plastic Hand brake cover

Plastic Steering wheel cover

Plastic Seat cover

Plastic/Paper foot mat

→ Pretaped Masking Film

- Indoor Use
- Outdoor Use
- Automotive Use
- Washi Tape


→ Prefolded Masking Film

→ Handy Masker

→ Paint Masking Kit


→ Masking Tape

- General
- Blue Tape UV
- Washi Tape



PAINT MASKER

DIY PAINTING






- Multi-Folded drop sheet.
- Self static cling film.
- For masking non-painted area painting for indoor house painting
- Multipurpose plastic paint dropsheet
- Painting building's wall, protecting of floor in work and protecting anythings from dusty.
- A simple and convenient way of plastic sheet in anywhere.
- Normal masking tape, (General purpose)

Indoor Used Pretaped Masking Film

Product C ode	Thickness	W.(m)	L.(m)	Package
PTM55G	10mic	0.55	33	50Rolls/Box
PTM110G	10mic	1.1	33	25Rolls/Box
PTM140G	10mic	1.4	33	25Rolls/Box
PTM180G	10mic	1.8	33	25Rolls/Box
PTM270G	10mic	2.7	17	25Rolls/Box



- Multi-Folded drop sheet.
- Self static cling film.
- For masking non-painted area painting for indoor and outdoor painting
- Multipurpose plastic paint dropsheet
- Painting building's wall, protecting of floor in work and protecting anythings from dusty.
- A simple and convenient way of plastic sheet in anywhere.
- Blue Paper Masking tape, (UV resistant 2 weeks)

Outdoor Used Blue Paper Taped Masking Film

Product C ode	Thickness	W.(m)	L.(m)	Package
PTMF55UP	10mic	0.55	20	50Rolls/Box
PTMF110UP	10mic	1.1	20	25Rolls/Box
PTMF140UP	10mic	1.4	20	25Rolls/Box
PTMF180UP	10mic	1.8	33	25Rolls/Box
PTMF270UP	10mic	2.7	17	25Rolls/Box
PTMF360UP	10mic	3.6	15	25Rolls/Box



STANDARD CLOTH TAPE MASKING FILM

- Cloth taped paint masker used for masking purpose.
- Cloth taped paint masker for out door such as masking outer walls are Provided with cloth tape
- The product cling perfectly onrough surface.
- Uneven and dusty substrates due to its high static load.
- Paint masker is treated by special fomula treatment
- Easy to tear by hand.
- Save labor cost.
- Light Green/Light Blue cloth tape(UV-Resistant).

Outdoor Cloth Taped Masking Film


Product C ode	Thickness	W.(m)	L.(m)	Package
PTMF55UCS	10mic	0.55	20	60Rolls/Box
PTMF110UCS	10mic	1.1	20	60Rolls/Box
PTMF140UCS	10mic	1.4	20	30Rolls/Box
PTMF180UCS	10mic	1.8	20	30Rolls/Box
PTMF270UCS	10mic	2.7	20	30Rolls/Box
PTMF360UCS	10mic	3.6	20	30Rolls/Box



PREMIUM CLOTH TAPE MASKING FILM

- Cloth taped paint masker special for professional painters, used for masking purpose.
- Embossed Film.
- Sky blue/Dark blue cloth tape(UV-Resistant).


Product C ode	Thickness	W.(m)	L.(m)	Package
PTMF55UPS	12mic	0.55	18	42Rolls/Box
PTMF110UPS	12mic	1.1	18	42Rolls/Box
PTMF160UPS	12mic	1.6	18	30Rolls/Box
PTMF55UPS	20mic	0.55	18	42Rolls/Box
PTMF110UPS	20mic	1.1	18	42Rolls/Box
PTMF160UPS	20mic	1.6	18	30Rolls/Box
PTMF240UPS	20mic	2.4	18	30Rolls/Box



- LDPE Non-slip 30 Micron film with UV resistant cloth tape for heavy duty protection.
- Static film with UV resistant cloth tape.
- Easy Application for paint work to save labor cost & time to do paint protection work.

Heavy Duty Cloth Taped Masking Film

Product C ode	Thickness	W.(m)	L.(m)	Package
PTMF110UCL	10mic	1.1	20	30Rolls/Box
PTMF140UCL	10mic	1.4	20	30Rolls/Box



- Multi-Folded drop sheet.
- Prevents paint from flaking,(Full treated film).
- Self static cling film.
- Static & corona treated film for non paint flaking works.
- Easy application for automotive refinish work to save labor cost & time.
- For masking non-painted area painting for vehicle, and automotiverefinish work .
- Automotive grade masking tape.

Automotive Pretaped Masking Film

Product C ode	Thickness	W.(m)	L.(m)	Package
PTMF55A	10mic	0.55	33	50Rolls/Box
PTMF180A	10mic	1.8	33	25Rolls/Box
PTMF270A	10mic	2.7	20	25Rolls/Box



- Folded Craft Paper
- For masking non-painted area painting.
- Normal Masking Tape(General purpose)
- Washi tape(muti purpose)

Pretaped Masking Paper

Product C ode	Material	W.(mm)	L.(m)	Package
PTMP16	Paper(35gsm)	160	20	30Rolls/Box
PTMP18	Paper(35gsm)	180	20	50Rolls/Box
PTMP30	Paper(35gsm)	300	20	30Rolls/Box



- Multi-Folded drop sheet.
- Self static cling film.
- For masking non-painted area painting.
- Multipurpose plastic paint dropsheet
- Painting building's wall, protecting of floor in work and protecting anythings from dusty.
- A simple and convenient way of plastic sheet in anywhe
- Washi masking tape, (Muti purpose)60 days clean

Washi Taped Masking Film

Product C ode	Thickness	W.(m)	L.(m)	Package
PTMF30W	10mic	0.3	33	50Rolls/Box
PTMF55W	10mic	0.55	33	50Rolls/Box
PTMF110W	10mic	1.1	33	25Rolls/Box
PTMF140W	10mic	1.4	33	25Rolls/Box
PTMF180W	10mic	1.8	33	25Rolls/Box
PTMF270W	10mic	2.7	17	25Rolls/Box


Pretaped Masking Film Dispenser



With Stem

- Used together with pretaped masking film
- Easy to handle.

Product Code	H.(cm)	Color	Package
PTD10	10	Red/Orange/Black	With Roll
PTD20	20	Red/Orange/Black	With Roll



Without Stem
More Easy To Use!



- Works great with tape applicators/maskers.
- Unfold easily.
- Clings to surface for easy application.
- Use printed side out.
- Logo:printable.

Prefolded Masking Film/Hand Masker

Product Code	Thickness	W.(m)	L.(m)	Package
PF610	10-14mic	0.61	54	24Rolls/Box
PF1210	10-14mic	1.21	54	12Rolls/Box
PF1810	10-14mic	1.81	27	12Rolls/Box
PF2410	10-14mic	2.41	27	12Rolls/Box

DISPENSER

- Used together with prefolded masking film
- Easy to cut film.





Economic Package Way!
(Plastic Bag)

- Cover all surfaces and objects that should not be sprayed, or remove them from the work area.
- Remove adhesive tape slowly and evenly, do not use jerky movements.
- Do not leave adhesive tape on surfaces an longer than necessary, in order to minimize the possibility of residues when removing.

Paint Masking Set



Product Code

Package

PMK100

Paint Masker
Dispenser
Drop Sheet
Cutter/Masking Tape
OEM Item

One Packing



Washi Tape

- This tape is Japanese Flat paper uniformly coated with an acrylic adhesive.
- It is recommended for use on a variety of substrates where extreme sharp edges are required.
- Good heat and UV resistance (up to 60 days).
- Low to medium adhesion for delicate surfaces.
 - The tape does not break when peeling off, but can be easily torn by hand.
 - The reverse side of the tape reduces bleed-through.
- The most versatile masking tape and the best choice for most painting projects.

Total Thickness *	0.075 mm
180° Peel Adhesion	400 g/25mm
Elongation	4%
Max Temperature Resistance	120°C @ 1 hour
Backing	Japanese Flat paper (Yellow)
Adhesive	Emulsion Acrylic

DROP SHEET




- Drop sheet
 - Asian&Pacific Ocean
- Market
 - North American Market
 - European Market





- Multi purpose plastic protective products.
- Paint protect for building, house and auto body.
- Protect floor in work and anywhere from pollution.
- Keeps car clean during over spray or maintenance.
- Simple and convenient.



DROP SHEET

Asian&Pacific Ocean Market

Product C ode	Material	Thickness	W.(m)	L.(m)	Package
	HDPE	20UM	2.6	3.6	20PCS/Box
	LDPE	50UM	2.6	3.6	10PCS/Box



North American Market

Product C ode	Material	Thickness	W	L	Package
	HDPE	extra light 0.5mil(12.7mic)	9FT(2.74M)	12FT(3.66M)	1Roll/PE Bag
	HDPE	light duty0.7mil(17.8mic)	9FT(2.74M)	12FT(3.66M)	1Roll/PE Bag
	HDPE	medium duty 1mil(25.4mic)	9FT(2.74M)	12FT(3.66M)	1Roll/PE Bag
	HDPE	heavy duty 1.5mil(38.1mic)	9FT(2.74M)	12FT(3.66M)	1Roll/PE Bag
	HDPE	extra heavy duty 2mil(50.8mic)	9FT(2.74M)	12FT(3.66M)	1Roll/PE Bag
	HDPE	medium duty 1mil(25.4mic)	10FT(3.04M)	20FT(6.09M)	1Roll/PE Bag
	HDPE	heavy duty 1.5mil(38.1mic)	12FT(3.66M)	50FT(15.2M)	1Roll/PE Bag
	HDPE	22mic	2.5M	4M	15PCS/Box
	LDPE	18mic	2.5M	6M	20PCS/Box



European Market

Product C ode	Material	Thickness	W.(m)	L.(m)	Package
	HDPE	6mic	4	5	40PCS/Box
	HDPE	6mic	4	7	40PCS/Box
	HDPE	7mic	4	5	40PCS/Box
	HDPE	7mic	4	7	40PCS/Box
	HDPE	10mic	4	5	40PCS/Box
	LDPE	20mic	4	5	20PCS/Box
	LDPE	30mic	4	5	20PCS/Box



Drop Sheet Without Paper Core (Roll Type)

Product C ode	Material	Thickness	W.(m)	L.(m)	Package
	HDPE	6-10mic	2	25	20Rolls/Box
	LDPE	6-10mic	2	50	20Rolls/Box
	LDPE	6-10mic	4	25	20Rolls/Box



Drop Sheet With Paper Core (Roll Type)

Product C ode	Material	Thickness	W.(m)	L.(m)	Package
	HDPE	6-10mic	2	50	20Rolls/Box
	LDPE	15mic~mo re	2	50	20Rolls/Box



- Vapor Barrier / Moisture Barrier
- Plastic Covering
- Under Slab Construction
- Covering Concrete For Curing
- Dust Barrier
- Paint Barrier
- Landsacping
- Temporary cover for equipment and supplies
- Paint overspray shield
- Floor protection
- Industry, Agriculture, Household
- And more multiapplication

CONSTRUCTION FILM

HDPE/LDPE Poly Film



American Size

Item	Popular Size	Thickness
Construction Poly Film	20ft x 100ft	4mil,6mil
Polyethelne Sheeting	10ft x 100ft	2mil,3mil,4mil,6mil
	10ft x 25ft	4mil,6mil



European Size


Product C ode	Material	Thickness	W.(m)	L.(m)	Package
	HDPE	10mic	2	50	1Roll/PEbag
		10mic	2	25	
		20mic	2	50	
		7mic	2	50	
	LDPE	25mic	2	50	1Roll/PEbag
		25mic	4	25	
		35mic	2	50	
		20mic	2	50	
		30mic	3	25	
		50mic	3	25	
		50mic	3	50	
		50mic	3	100	
		50mic	2	50	
		50mic	4	50	
80mic	3	25			
100mic	4	25			
200mic	4	25			





- "U", "C", "I", "L" shape zipper door
- Dustproof and prevent foul smells
- Durable quality and reusable
- Dual zipper allows entrance from both side
- Use tape for quick installation
- Also, bigger sizes available according to customer requirements. such like 220x224 apply to 2M wide door.

ZIPPER DOOR



Product Code	Material	Thickness	W.(mm)	L.(mm)	Package
	LDPE	100mic	1120	2200	1pcs/PEbag
		60mic	1400	3200	
		40mic	1000	2200	




LDPE mattress storage bag or be named as sofa cover It is used to keep your mattress and box springs clean during moving or storing. It will protect your mattress or sofa against soil, dust and water damage.

The bag is made from LDPE, including King size, Queen size, twin/full size etc.

SOFA COVER & BED MATTRESS COVER

Purpose	Material	Thickness	W(mm)	H(mm)	Package
Sofa cover	LDPE	18mic	1600	1300	1PCS/PE BAG
Matress cover	LDPE	20mic	1300	2400	1PCS/PE BAG
Matress cover	LDPE	20mic	3000	1300	1PCS/PE BAG



STRETCH FILM



Machine Applied Stretch Films

- High stretch capability(300%on 63 gauge)
- Works well on high speed stretch wrappers in excess of 50RPM
- Excellent film clarity for displaying products or reading bar codes
- Silent Film Application

Specification:
 Thickness:12mic to 23mic(also 68 Guage to 160Guage)
 Width:455mm&500mm
 Length:Can be tailor made to suit your requirement



Hand Applied Stretch Films

- Excellent load retention properties
- High strength products require less film stretching
- Elastic properties keep film tight if load settles
- Lighter gauges and roll weights mean less operator fatigue
- Elevated tear and puncture strength
- Excellent film clarity for best product visibility and reading bar codes

Specification:
 Thickness:12-23mic
 Width:300mm
 Length:Can be tailor made to suit your requirement



Bundling/Banding/Bundle Wrap Films

- Easy to handle core
- Can be used in place of wire,tape,or strapping
- High quality film with excellent cohesion;sticks to itself,not

Specification:
 Thickness:12mic-
 Width:150mm
 Length:100m



- Pallet covers protect your products from dirt and dust.
- Protect against moisture, water damage, punctures and abrasions during Shipping And Storage
- Improve the efficiency of warehousing and transport of your product on pallets
- Deter theft in addition to eliminating scattered loads, and prevent leakage
- Clear poly allows visibility of pallet content
- Pallet cover are pre-cut and perforated on a roll for easy use
- Sizes are designed to fit over a variety of standard pallets.

PALLET COVER



European Size

Product Code	Material	Thickness	W(mm)	L(mm)	H(mm)	Package
		45mic	1250	850	2000	100PCS/Roll
	LDPE	85mic	1250	1050	2300	70PCS/Roll
		50mic	1300	900	1850	100PCS/Roll

UK Size

Product Code	Material	Thickness	W(mm)	L(mm)	H(mm)	Package
			1200	800	1200	30PCS/Roll
	LDPE	125mic	1200	1000	1200	30PCS/Roll
			1200	1200	1200	30PCS/Roll

American Size

Product Code	Material	Thickness	W(mm)	L(mm)	H(mm)	Package
		32mic	1380	1100	2340	100PCS/Roll
		38mic	1060	660	1600	210PCS/Roll
		50.8mic	1060	760	1770	90PCS/Roll
	LDPE	50.8mic	1300	1110	2340	75PCS/Roll
		76.2mic	1270	1160	2110	75PCS/Roll
		50.8mic	1270	1240	2800	100PCS/Roll
		50.8mic	1270	1240	1900	125PCS/Roll



- Fits over the top of goods on a 1220mm x 1220mm pallet.
- Provides extra coverage to protect palletised goods .
- LDPE Clear material .
- Supplied perforated on a roll.

PALLET CAPS/ TOP SHEETS STANDARD PLASTIC

Product Code	Material	Thickness	W.(mm)	L.(mm)	Package
	LDPE	23mic	1680	1680	200 PCS/Roll



- These Trolley Covers are ideal for food, laundry and laboratory trolleys for hospitals, aged care, food preparation, clean rooms, etc., where insulation, security or hygiene is required. Trolley Cover made of LDPE. It is customize with shape and size such as
- Box type cover.
 - Rectangle shaped cover.
 - Fully Coverage trolley cover




TROLLEY COVER

Product Code	Material	Thickness	W(mm)	L(mm)	H(mm)	Package
		15mic	870	660	1900	300PCS/Roll
	LDPE	13mic	870	660	1900	300PCS/Roll
		18mic	740	620	1800	25PCS/Roll

PLASTIC SHOPPING BAG

- Convenient to use for shopping
- Durable and sturdy
- Design and print as requirement
- Competitive price
- OEM



- Cloth Adhesive Tape
- Premium Grade Cloth Tape
- Masking Grade Cloth Tape
- Superior Grade Cloth Tape
- Gaffers Cloth Tape



CLOTH ADHESIVE TAPE





Adheai ve Type	I/D NO.	Thickness(mm)	Adhesion(25 kg/mm)
Natu ral Rub ber Base	AS 2040G	0.2	0.7
	AS 2270G	0.25	1
	AS 3070M	0.3	0.6
	AS 3070GA	0.3	0.7



PE coated cloth duct tape with a rubber based adhesive general purpose for bunding,seaming,vinyl repairing and packing.

AS 2040G

General Purpose Cloth Adhesive Tape

Backing	PE Coated cloth
Adhesive-base	Natural rubber
Total thickness(mm)	0.2
Peel adhesion(kg/25mm)	0.7
Rewinding force(kg/50mm)	2
Tensile strength(kg/25mm)	9
Holding power(25mmx25mm/40%)	20min
Ball tack(cm/ball no.13)	20
Heat resistance(°C)	40
Application temperature(°C)	5~35
Storage life(20%/60%)	6 months



AS 2207G

General Purpose Cloth Adhesive Tape

PE coated cloth duct tape with a rubber based adhesive High quality general purpose for irregular surface,waterproof, bundling,vinyl repair and packaging Hand tearable,excellent waterproof and abrasion resistance.

Backing	PE Coated cloth
Adhesive-base	Natural rubber
Total thickness(mm)	0.25
Peel adhesion(kg/25mm)	1.0
Rewinding force(kg/50mm)	2
Tensile strength(kg/25mm)	9
Holding power(25mmx25mm/40%)	20min
Ball tack(cm/ball no.13)	15
Heat resistance(°C)	40
Application temperature(°C)	5~35
Storage life(20%/60%)	6 months



AS 3070M

Masking Grade Tape

PE coated UV-Stabilized performance cloth tape with a rubber based adhesive. Less residue adhesive.

Backing	PE Coated cloth
Adhesive-base	Natural rubber
Total thickness(mm)	0.3
Peel adhesion(kg/25mm)	0.6
Rewinding force(kg/50mm)	2
Tensile strength(kg/25mm)	13
Holding power(25mmx25mm/40%)	20min
Ball tack(cm/ball no.13)	10
Heat resistance(°C)	40
Application temperature(°C)	5~35
Storage life(20%/60%)	6 months



AS 3070GA

Gaffers Cloth Tape

Low-gloss finished PE coated cloth tape with a rubber based adhesive. Suitable for entertainment type application like concert, trade show etc.,where minimal visibility of tape is disired.

Backing	PE Coated cloth
Adhesive-base	Natural rubber
Total thickness(mm)	0.3
Peel adhesion(kg/25mm)	0.7
Rewinding force(kg/50mm)	4
Tensile strength(kg/25mm)	16
Holding power(25mmx25mm/40%)	20min
Ball tack(cm/ball no.13)	20
Heat resistance(°C)	40
Application temperature(°C)	5~35
Storage life(20%/60%)	6 months